

Care Gram

Cholesterol

What Is Cholesterol?

Cholesterol is a waxy fat-like substance that is made in the liver. Cholesterol is needed to form cell membranes, aid in digestion, develop hormones and convert vitamin D. Cholesterol travels through the blood together with protein and fat. As the cholesterol in your blood increases so does your risk for heart disease. This is why it is important to check your cholesterol. When your cholesterol is at healthy levels, you have lower risk for heart disease or stroke.

A complete fasting lipoprotein profile includes:

LDL Cholesterol: Low-density Lipoprotein (Bad Cholesterol)

- LDL can cause plaque to form on the inside of your blood vessels
- Plaque is a sticky substance that can damage blood vessels and lead to heart disease, heart attack or stroke
- Aim to keep your LDL cholesterol low

HDL Cholesterol: High-density Lipoprotein (Good Cholesterol)

- HDL prevents LDL build-up in the arteries
- Aim to keep HDL cholesterol higher

Total Cholesterol:

- Is a calculation that estimates the total amount of cholesterol in your body
- High levels can be associated with higher risk of heart disease
- Aim to keep total cholesterol lower

Triglycerides:

- High levels of triglycerides can cause plaque to form on the inside of your blood vessels

In determining your risk for heart disease, your doctor will use your fasting lipoprotein profile as well as other factors, such as family history, age, smoking, diabetes and high blood pressure. Your doctor will determine your target lipoprotein goal numbers based on these risk factors.



**Licking Memorial
Health Systems**

1320 West Main Street • Newark, Ohio 43055
(220) 564-4000 • www.LMHealth.org

1616-0525
10/23/2018
Page 1 of 3

Cholesterol in Food

- Cholesterol is found in food, but only animal products.
- There is little evidence that cholesterol from food (dietary cholesterol) raises blood cholesterol.
- Many foods high in dietary cholesterol are nutrient-dense and low in saturated fat, including eggs, fish and shellfish

Factors that Impact Cholesterol

- Food and meals that are high in saturated fat, tropical oils or fully-hydrogenated oils. These fats are responsible for increasing cholesterol.
- Being overweight BMI 25 to 29.9 or obese BMI greater than 30
- Smoking
- Drinking too much alcohol
- Not exercising
- Age
- Long-term stress
- Genetics
- Gender: Women after menopause can see an increase in LDL cholesterol. Men tend to have lower HDL cholesterol.

What Can I Do to Improve My Cholesterol?

1. Aim to eat more healthful meals

- Aim to increase your fiber intake
 - High fiber intake can reduce LDL cholesterol.
 - At least 25 grams per day for women and 38 grams per day for men. Fiber is found in whole grains, fruits, vegetables, beans, nuts, and seeds.
- Choose unrefined whole-grain foods over white-refined grain foods
 - Choose 100% whole wheat bread or pasta, brown rice, quinoa, couscous, bulgur wheat, whole-grain tortillas, wraps and crackers.
- Eat more fruits and vegetables
 - Choose fresh or frozen fruits and vegetables without added sauces or syrups.
 - Choose canned fruits in own juices, water or light syrup or canned vegetables with no-added salt/sodium.
- Reduce the amount of saturated fats in your diet which include animal fats, tropical oils and fully-hydrogenated oils
 - Choose leaner cuts of meats and poultry.
 - Limit portion size of meats, poultry and fish to 2 to 3 ounces per meal.
 - Reduce or avoid fatty meats such as sausage, bacon, bologna and bratwurst.
 - Limit processed foods made with saturated fats such as baked goods and many snack foods.
 - Prepare foods using heart-healthy fats (monounsaturated or polyunsaturated fats) instead of saturated fats.
- Select low-fat dairy products
 - Skim or 1 percent milk, reduced fat cheeses, nonfat yogurts
- Choose more foods with heart-healthy fats

Guide to Types of Fats

Type of Fat:	Monounsaturated Fat	Polyunsaturated Fat	Saturated Fat
Benefits or Concerns:	Best choice! Lowers bad (LDL) cholesterol, increases good (HDL) cholesterol	Good choice – lowers bad cholesterol	Limit these – increases bad cholesterol
Characteristics:	Liquid at room temperature, derived from plants	Liquid or soft at room temperature	Usually firm or solid at room temperature – found in animal products, tropical oils and fully-hydrogenated oils
Examples:	<ul style="list-style-type: none"> • Avocados • Canola oil • Olive oil • Nuts • Peanut butter • Sunflower oil • Sesame oil • Nut oils 	<ul style="list-style-type: none"> • Corn oil • Fat in seafood • Safflower oil • Soybean oil • Walnuts • Liquid or soft margarine 	<ul style="list-style-type: none"> • Butter • Coconut oil • Fatty meats • Lard • Cheese • Cream cheese • Sour cream • Other high-fat dairy foods • Palm oil • Solid shortening • Fully-hydrogenated fats • Baked goods made with saturated fats • Snack foods made with saturated fats

2. Exercise

- Aim for 30 minutes per day, at least 5 days per week, of moderate, intense exercise such as brisk walking
 - Start slowly – start out with 10 minutes per day if that works for you
- Always speak with your doctor before beginning any exercise program

3. Lifestyle Changes

- If overweight or obese, lose weight
- If smoking, quit smoking
- Take prescribed medications as ordered by your doctor
- Have your lipid panel checked regularly according to your doctor's instructions